

2

**Office of the Sub-Project Manager**  
**Library System Automation of KUET (CP-435/KUET/W-3/2017)**  
**Higher Education Quality Enhancement Project (HEQEP)**  
Khulna University of Engineering & Technology (KUET)  
Khulna-9203, Bangladesh.

**REQUEST FOR QUOTATION**

For

**Supply of Heavy Duty Book Scanner with other Accessories**

RFQ No: HEQEP/KUET/CP-435/W-3/G8/44(10)


Date: 02/11/2017

To

1. The **Office of the Sub-Project Manager (SPM)** Library System Automation of KUET (CP-435/KUET/W-3/2017) has been allocated public funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications and, Design & Drawings for the intended Goods and related services shall be available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'Quotation Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in **Para 6** below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail shall be submitted to the office of the undersigned **on or before 08/11/2017, 11.00 AM**. The envelope containing the Quotation must be clearly marked "Quotation for **Supply of Heavy Duty Book Scanner with other Accessories**" and **DO NOT OPEN** before **08/11/2017, 11.30 AM**. Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in **Para 6** above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days pursuant to Rule 71 (4) of the Public Procurement Rules, 2008.
9. All Quotations must be valid for a period of at least **30 days** from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.
11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in Taka currency. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related to valid **Trade License, Tax Identification Number (TIN), VAT Registration Number and Financial Solvency Certificate** from any scheduled Bank; without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. The supply of Goods and related services shall be completed within **07** days from the date of issuing the Purchase Order.
17. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **07** days of receipt of approval from the Approving Authority.
18. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

**Signature of the official inviting Quotation**

Name : Md. Akkas Uddin Pathan  
Designation : Sub-Project Manager (SPM)  
Date : 02/11/2017  
Address : Librarian, Central Library, KUET, Khulna.  
Phone No : 041774325, Fax No.+88041774403.  
e-mail : [librarian@kuet.ac.bd](mailto:librarian@kuet.ac.bd), [librarian@library.kuet.ac.bd](mailto:librarian@library.kuet.ac.bd)



**Distribution:**

1. Director, IICT with request to publish in KUET Website.
2. Director, Planning & Development, KUET, Khulna.
3. PS to VC (for information), KUET, Khulna.
4. Notice Board.
5. Office File.

## Quotation Submission Letter

[Use Letter-head Pad]

RFQ No: \_\_\_\_\_ Date: dd/mm/yy

To:

*[Name and address of Procuring Entity]*

I/We, the undersigned, offer to supply in conformity with the Terms and Conditions for delivery of the Goods and related services named [insert name of goods]

The total Price of my/our Quotation is BDT [insert amount both in figure and words]

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 21(b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or completion of delivery of Goods.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that the Purchase Order issued by you shall constitute the Contract and will be binding upon me/us.


I/We have examined and have no reservations to the RFQ Document issued by you on [insert date]

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with

Seal

Date:



## Price Schedule for Goods and Related Services

RFQ No: HEQEP/KUET/CP-435/W-3/G8/44(10)

Date: 02/11/2017

Sl no	Item no	Description of Items	Unit of Measurement	Quantity	Unit Rate or Price		Total Amount	Destination for Delivery of Goods
					In figure	In words	In figure In words	
1		Heavy Duty Book Scanner with other Accessories	Nos.	01				
<b>Total Amount for Supply of Goods and related services</b> (inclusive of VAT and all applicable taxes; <i>see Note 2 below</i> )						In figure		
						In words		
Goods to be supplied to			[insert destination of Goods]					
Total Amount in Taka (in words)			[enter the Total Amount as in Col.8 above for the delivery of Goods and related services].					
Delivery Offered			[insert weeks/days] from date of issuing the Purchase Order]					
Warranty Provided			[insert weeks/months from date of completion of the delivery; state none if not applicable]					

[insert number] number corrections made by me/us have been duly initialed in this Price Schedule. My/Our Offer is valid until dd/mm/yy [insert Quotation Validity date].

Signature of Quotationer with Seal  Name of Quotationer	Date: dd/mm/yy
---	----------------

**Note:**

1. Col. 1, 2, 3, 4, 5 and 9 to be filled in by the Procuring Entity and Col.6, 7 & 8 by the Quotationer.
2. Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. whatsoever up to the point of delivery of Goods and related services in all respects to the satisfaction of the Procuring Entity.




# Technical Specification of the Goods Required

RFQ No: HEQEP/KUET/CP-435/W-3/G8/44(10)

Date: 02/11/2017

Sl no	Item no	Description of Items	Full Technical Specification and Standards	Country of Origin	Make and Model																																																				
01		Heavy Duty Book Scanner with other Accessories	<p style="text-align: center;"><b>Document Scanner</b></p> <table border="1"> <tr> <td>Daily Volume</td> <td>Up to 10,000 pages per day</td> </tr> <tr> <td>Speeds</td> <td>Up to 60 ppm/120 ipm at 200 dpi and 300 dpi</td> </tr> <tr> <td>Flatbed Support</td> <td>Built-in A4 size flatbed scanner (book-edge)</td> </tr> <tr> <td>Scanning Technology</td> <td>Dual CCD; Grayscale output bit depth is 256 levels (8-bit); color capture bit depth is 48 bits (16 x 3); color output bit depth is 24 bits (8 x 3)</td> </tr> <tr> <td>Illumination</td> <td>Dual LED</td> </tr> <tr> <td>Operator Control Panel</td> <td>Graphical LCD display with four operator control buttons</td> </tr> <tr> <td>Optical Resolution</td> <td>600 dpi</td> </tr> <tr> <td>Output Resolution</td> <td>100 / 150 / 200 / 240 / 300 / 400 / 500 / 600 / 1200 dpi</td> </tr> <tr> <td>Document Width</td> <td>Auto-feed: 216 mm (8.5 in.) / 63.5 mm (2.5 in.) Hand-feed: 216 mm (8.5 in.) / 50 mm (2 in.) Long document mode: 4.1 meters (160 in.) maximum length</td> </tr> <tr> <td>Paper Thickness and Weight</td> <td>34-413 g/m<sup>2</sup> (9-110 lb.) paper</td> </tr> <tr> <td>Feeder/Elevator</td> <td>Up to 250 sheets of 80 g/m<sup>2</sup> (20 lb.) paper</td> </tr> <tr> <td>Paper Path Options</td> <td>Documents can exit into the front output tray, or at the rear of the scanner if the straight-through paper path option is manually selected</td> </tr> <tr> <td>Document Sensing</td> <td>Ultrasonic multi-feed detection; Intelligent Document Protection</td> </tr> <tr> <td>Connectivity</td> <td>USB 2.0, USB 3.0 compatible</td> </tr> <tr> <td>Software Support</td> <td>WINDOWS Bundled software: TWAIN, ISIS, WIA Drivers; KODAK Capture Pro Software Limited Edition; Smart Touch; (LINUX SANE and TWAIN drivers.</td> </tr> <tr> <td>Imaging Features</td> <td>Perfect Page Scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; aggressive cropping; electronic color dropout; dual stream scanning; interactive color, brightness and contrast adjustment; automatic orientation; automatic color detection; intelligent background color smoothing; intelligent image edge fill; image merge; content-based blank page detection; streak filtering; image hole fill; sharpness filter; auto brightness</td> </tr> <tr> <td>File Format Outputs</td> <td>Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF</td> </tr> <tr> <td>Accessories (Optional)</td> <td>Document imprinting accessory</td> </tr> <tr> <td>Electrical Requirements</td> <td>100-240 V (International); 50-60 Hz</td> </tr> <tr> <td>Power Consumption</td> <td>Off mode: &lt;0.5 watts; Running: &lt;75 watts; Sleep mode: &lt;4.5 watts</td> </tr> <tr> <td>Environmental Factors</td> <td>EPEAT Registered ENERGY STAR qualified scanners Operating temperature: 15-35° C (59-95° F) Operating humidity: 15% to 80% RH</td> </tr> <tr> <td>Acoustical Noise</td> <td>Off or Ready mode: &lt;30 dB(A) Operating mode: &lt;60 dB(A)</td> </tr> <tr> <td>Recommended PC Configuration</td> <td>INTEL CORE i7, 3.4 GHz or higher, 4 GB RAM or more</td> </tr> <tr> <td>Supported Operating Systems:</td> <td>WINDOWS VISTA SP2 (32-bit and 64-bit), WINDOWS 7 SP1 (32-bit and 64-bit), WINDOWS 8 (32-bit and 64-bit), WINDOWS 8.1 (32-bit and 64-bit), WINDOWS 10 (32-bit and 64-bit), LINUX UBUNTU 10.04 (32-bit and 64-bit)</td> </tr> <tr> <td>Consumables Available</td> <td>Roller cleaning pads, STATICIDE wipes, consumables kit (includes feed module, separation module, separation pad, front transport rollers)</td> </tr> <tr> <td>Dimensions</td> <td>Weight: 15.8 kg (35 lbs.) Depth: 371 mm (14.6 in.) with input tray closed, Width: 431.8 mm (17 in.) Height: 237.5 mm (9.4 in.)</td> </tr> </table>	Daily Volume	Up to 10,000 pages per day	Speeds	Up to 60 ppm/120 ipm at 200 dpi and 300 dpi	Flatbed Support	Built-in A4 size flatbed scanner (book-edge)	Scanning Technology	Dual CCD; Grayscale output bit depth is 256 levels (8-bit); color capture bit depth is 48 bits (16 x 3); color output bit depth is 24 bits (8 x 3)	Illumination	Dual LED	Operator Control Panel	Graphical LCD display with four operator control buttons	Optical Resolution	600 dpi	Output Resolution	100 / 150 / 200 / 240 / 300 / 400 / 500 / 600 / 1200 dpi	Document Width	Auto-feed: 216 mm (8.5 in.) / 63.5 mm (2.5 in.) Hand-feed: 216 mm (8.5 in.) / 50 mm (2 in.) Long document mode: 4.1 meters (160 in.) maximum length	Paper Thickness and Weight	34-413 g/m <sup>2</sup> (9-110 lb.) paper	Feeder/Elevator	Up to 250 sheets of 80 g/m <sup>2</sup> (20 lb.) paper	Paper Path Options	Documents can exit into the front output tray, or at the rear of the scanner if the straight-through paper path option is manually selected	Document Sensing	Ultrasonic multi-feed detection; Intelligent Document Protection	Connectivity	USB 2.0, USB 3.0 compatible	Software Support	WINDOWS Bundled software: TWAIN, ISIS, WIA Drivers; KODAK Capture Pro Software Limited Edition; Smart Touch; (LINUX SANE and TWAIN drivers.	Imaging Features	Perfect Page Scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; aggressive cropping; electronic color dropout; dual stream scanning; interactive color, brightness and contrast adjustment; automatic orientation; automatic color detection; intelligent background color smoothing; intelligent image edge fill; image merge; content-based blank page detection; streak filtering; image hole fill; sharpness filter; auto brightness	File Format Outputs	Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF	Accessories (Optional)	Document imprinting accessory	Electrical Requirements	100-240 V (International); 50-60 Hz	Power Consumption	Off mode: <0.5 watts; Running: <75 watts; Sleep mode: <4.5 watts	Environmental Factors	EPEAT Registered ENERGY STAR qualified scanners Operating temperature: 15-35° C (59-95° F) Operating humidity: 15% to 80% RH	Acoustical Noise	Off or Ready mode: <30 dB(A) Operating mode: <60 dB(A)	Recommended PC Configuration	INTEL CORE i7, 3.4 GHz or higher, 4 GB RAM or more	Supported Operating Systems:	WINDOWS VISTA SP2 (32-bit and 64-bit), WINDOWS 7 SP1 (32-bit and 64-bit), WINDOWS 8 (32-bit and 64-bit), WINDOWS 8.1 (32-bit and 64-bit), WINDOWS 10 (32-bit and 64-bit), LINUX UBUNTU 10.04 (32-bit and 64-bit)	Consumables Available	Roller cleaning pads, STATICIDE wipes, consumables kit (includes feed module, separation module, separation pad, front transport rollers)	Dimensions	Weight: 15.8 kg (35 lbs.) Depth: 371 mm (14.6 in.) with input tray closed, Width: 431.8 mm (17 in.) Height: 237.5 mm (9.4 in.)	Mentioned by the Bidder	Mentioned by the Bidder
Daily Volume	Up to 10,000 pages per day																																																								
Speeds	Up to 60 ppm/120 ipm at 200 dpi and 300 dpi																																																								
Flatbed Support	Built-in A4 size flatbed scanner (book-edge)																																																								
Scanning Technology	Dual CCD; Grayscale output bit depth is 256 levels (8-bit); color capture bit depth is 48 bits (16 x 3); color output bit depth is 24 bits (8 x 3)																																																								
Illumination	Dual LED																																																								
Operator Control Panel	Graphical LCD display with four operator control buttons																																																								
Optical Resolution	600 dpi																																																								
Output Resolution	100 / 150 / 200 / 240 / 300 / 400 / 500 / 600 / 1200 dpi																																																								
Document Width	Auto-feed: 216 mm (8.5 in.) / 63.5 mm (2.5 in.) Hand-feed: 216 mm (8.5 in.) / 50 mm (2 in.) Long document mode: 4.1 meters (160 in.) maximum length																																																								
Paper Thickness and Weight	34-413 g/m <sup>2</sup> (9-110 lb.) paper																																																								
Feeder/Elevator	Up to 250 sheets of 80 g/m <sup>2</sup> (20 lb.) paper																																																								
Paper Path Options	Documents can exit into the front output tray, or at the rear of the scanner if the straight-through paper path option is manually selected																																																								
Document Sensing	Ultrasonic multi-feed detection; Intelligent Document Protection																																																								
Connectivity	USB 2.0, USB 3.0 compatible																																																								
Software Support	WINDOWS Bundled software: TWAIN, ISIS, WIA Drivers; KODAK Capture Pro Software Limited Edition; Smart Touch; (LINUX SANE and TWAIN drivers.																																																								
Imaging Features	Perfect Page Scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; aggressive cropping; electronic color dropout; dual stream scanning; interactive color, brightness and contrast adjustment; automatic orientation; automatic color detection; intelligent background color smoothing; intelligent image edge fill; image merge; content-based blank page detection; streak filtering; image hole fill; sharpness filter; auto brightness																																																								
File Format Outputs	Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF																																																								
Accessories (Optional)	Document imprinting accessory																																																								
Electrical Requirements	100-240 V (International); 50-60 Hz																																																								
Power Consumption	Off mode: <0.5 watts; Running: <75 watts; Sleep mode: <4.5 watts																																																								
Environmental Factors	EPEAT Registered ENERGY STAR qualified scanners Operating temperature: 15-35° C (59-95° F) Operating humidity: 15% to 80% RH																																																								
Acoustical Noise	Off or Ready mode: <30 dB(A) Operating mode: <60 dB(A)																																																								
Recommended PC Configuration	INTEL CORE i7, 3.4 GHz or higher, 4 GB RAM or more																																																								
Supported Operating Systems:	WINDOWS VISTA SP2 (32-bit and 64-bit), WINDOWS 7 SP1 (32-bit and 64-bit), WINDOWS 8 (32-bit and 64-bit), WINDOWS 8.1 (32-bit and 64-bit), WINDOWS 10 (32-bit and 64-bit), LINUX UBUNTU 10.04 (32-bit and 64-bit)																																																								
Consumables Available	Roller cleaning pads, STATICIDE wipes, consumables kit (includes feed module, separation module, separation pad, front transport rollers)																																																								
Dimensions	Weight: 15.8 kg (35 lbs.) Depth: 371 mm (14.6 in.) with input tray closed, Width: 431.8 mm (17 in.) Height: 237.5 mm (9.4 in.)																																																								



Sl No	Item no	Description of Items	Full Technical Specification and Standards		Country of Origin	Make and Model	
			<b>Approvals and Product Certifications</b>	AS/NZS CISPR 22:2009 + A1:2010 Class B (C-Tick Mark), CAN /CSA-C22.2 No. 60950-1-07 (C-UL Mark), Canada ICES-003 Issue 5 (Class B), GB4943.1:2011, GB9254:2008 (Class B), GB 17625.1:2003 Harmonics (CCC "S&E" Mark), EN 55022:2010 ITE Emissions (Class B), EN 61000-3-3 Flicker, EN 55024:2010 ITE Immunity (CE Mark), EN 60950-1:2006 + A11, A12, A1 (TUV GS Mark), IEC 60950-1, CISPR 22:2008 (Class B), VCCI V3/2012.04 (Class B), CNS 13438:2006 (Class B), CNS 14336-1 (BSMI Mark), UL 60950-1:07 (UL Mark), CFR 47 Part 15 Subpart B (FCC Class B), Argentina S-Mark			
			<b>Warranty</b>	01 Year.			
			<b>Flatbed Accessories</b>				
			<b>Technical Specification</b>	<b>Legal Flatbed</b>	<b>A3 Size Flatbed</b>		
			Imaging background	White	Black		
			Optical resolution	1200 dpi	600 dpi		
			Output resolutions	75, 100, 150, 200, 240, 300, 400, 600 & 1200 dpi	100, 150, 200, 240, 250, 300, 400, 600 & 1200 dpi		
			Max doc size	216 x 356 mm (8.5 x 14 in.)	305 x 457 mm (12 x 18 in.)		
			Height x Width x Length	43.7 x 268 x 470 mm (1.7 x 10.5 x 18.5 in.)	108 x 419 x 699 mm (4.25 x 16.5 x 27.5 in.)		
			Weight	2.7 kg (6 lbs)	8 kg (19 lbs)		
			<b>Desktop PC</b>				
			<b>Processor</b>	Intel 7th Gen Core i7-7700 Processor-3.6 GHz Max Turbo up to 4.2GHz (8MB Cache)			
			<b>Chipset</b>	Intel Q270 Chipset			
			<b>RAM</b>	8GB DDR4 RAM-2400MHz			
			<b>HDD</b>	1 TB SATA-7200rpm			
			<b>Display</b>	21.5" LED Monitor			
			<b>Graphics</b>	HD 630 Graphics			
			<b>Optical Disk Drive</b>	DVD-RW Drive			
			<b>Audio</b>	Internal Audio Speaker			
			<b>Keyboard &amp; Mouse</b>	USB Keyboard, USB Optical Mouse			
			<b>Operating System</b>	Free DOS			
			<b>Warranty</b>	3 years Warranty			

I/We declare to supply Goods and related services offered by me/us fully in compliance with the Technical Specifications and Standards mentioned hereinabove


Signature of Quotationer with Seal

Date: dd/mm/yy

Name of Quotationer

Note:

- Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotationer.
- Specifications are to be filled in by the Procuring Entity. A set of precise and clear specifications is a pre-requisite for Quotations to respond realistically and competitively to the requirements of the Procuring Entity. In the context of competitive Quotations, the specifications shall be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the Goods and related services to be procured. The specifications should require that all items, materials and accessories to be included or incorporated in the Goods be new, unused and of most recent or current models, and that they include or incorporate all recent improvements in design and materials.
- Technical Specifications of the Goods and related services shall be in compliance with the requirements of the Procuring Entity specified in this document. Quotationer is required to mention make / model (as applicable) of the Goods offered and must attach the appropriate original printed (if not available copied) literature / brochures for the listed items.



[enter here the name and address of the Procuring Entity]

## PURCHASE ORDER FOR THE SUPPLY OF GOODS

[insert name of the supplies in brief]

Purchase Order No. \_\_\_\_\_


Date: dd/mm/yy

<b>RFQ No:</b> _____	<b>Date:</b> dd/mm/yy
<b>To:</b> [name and address of the Supplier]	
<b>Delivery Date:</b> [insert completion date]	<b>Order Value:</b> TK. [insert Contract Price]
<b>Delivery: As per Terms and Conditions</b>	

The Purchaser has accepted your Quotation dated [insert date] for the supply of Goods and related services as listed below and requests that you supply the Goods and related services within the delivery date stated above, in the quantities and units in conformity with the Technical Specifications under the Terms and Conditions as annexed.


<b>ORDER ITEMS</b>
Attached Certified photocopy of approved Priced Schedule for Goods and related services Attached Certified photocopy of approved Technical Specification of the Goods Required Attached Certified photocopy of Terms and Conditions
For the Purchaser:
Signature of the Procuring Entity with name and Designation
Date

**Attachments:** As stated above




**Terms and Conditions**  
for  
**Supply of Goods and Payment**

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of the Public Procurement Act, 2006 and the Public Procurement Rules, 2008.
3. The Supplier shall have to complete the delivery in all respects within **07 (Seven) days** of issuing the Purchase Order in conformity with the Terms and Conditions.
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT [insert figure] [in words].
12. The Procuring Entity shall retain or in other words deduct from the Payment due to the Supplier, at the rate of five (05) percent of the contract price as security Deposit and kept it until expiration of the Warranty Period.
13. The minimum Warranty Period of the Supplies shall be **12 (Twelve) and 36 (Thirty Six) Months** (where applicable) starting from the date of completion of delivery in the form of submission by the Supplier and acceptance by the Procuring Entity, of the Delivery Chalan.
14. The Security deposit shall be returned to the Supplier within twenty one (21) days after expiry of the Warranty Period.
15. The Supplier shall remain liable to fulfil the obligations pursuant to Rule 40 (5) of the Public Procurement Rules, 2008.
16. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
17. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.



18. Damage to the Goods during the Warranty Period shall be remedied by the Supplier at the Supplier's own cost, if the damage arises from the supply and installation by the Supplier.
19. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.
20. **The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with Rules, where necessary.**
21. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
  - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
  - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
  - c. fails to perform any other obligation(s) under the Contract.
22. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
23. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion in Section 64 of the Public Procurement Act, 2006 and Rule 127 of the Public Procurement Rules, 2008.

**For the Purchaser:**

  
2/27/2017

**Md. Akkas Uddin Pathan**  
Sub-Project Manager (SPM)  
Library System Automation of KUET  
CP-435/KUET/W-3/2017  
Khulna University of Engineering & Technology  
Khulna-9203.

**For the Supplier:**

